Date:

Thursday, 16/10/2008 10:45:46 AM

User: Julie Dawson

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 42632

Estimate Number

P.O. Number

This Issue

: 16/10/2008

: NC Prsht Rev.

First Issue Previous Run : //

: 41970

: 11010

S.O. No. :

: MACHINED PARTS

Туре

: D2649 **Part Number** : D2649 REV B1 **Drawing Number**

Drawing Name

Project Number : N/A **Drawing Revision**

Material

: 10/11/2008 **Due Date**

Qty:

: CROSSBOLT SPACER

200 Um:

Each

Checked & Approved By

Comment

Written By

: Est F 02.03.26

Added turning on Cobra

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

6061-T6 RD Tube .375 x.058W

Comment: Qty.:

0.2975 f(s)/Unit Total: 6061-T6 Tube .375 x.058W

Material: 6061-T6 or 5052-H32, 0.375" Dia X 0.058" Wall

Batch M 109314

2.0

HARDINGE

HARDINGE CNC LATHE SMALL



Comment: HARDINGE CNC LATHE SMALL

Machine as per folio FAJU on cobra machine.

59.4930 f(s)

INSPECT PARTS AS THEY

3.0

QC2

PARTS AS THEY COME OFF MACHINE



4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

5.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

6.0

QC21



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
			·						
18-P/									

Part No:		PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
	Resolution:		Disposition:	QA: N/C Closed	:	Date:

	WORK ORDER NON-CONFORMANCE (NCR)								
	Description of NC		Corrective Action Section B	Varification	Ammerical	Approval			
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto		
					*				
						×			
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Description of NC Section A Initial Chief Eng Corrective Action Section B Verification Section C Chief Eng Chief Eng Corrective Action Section B Verification Section C	STEP Description of NC Section A Corrective Action Section B Verification Section C Chief Eng Ch		

NOTE: Date & initial all entries


DART AEROSPACE LTD	Work Order:	H d632
Description: Crossbolt Spacer	Part Number:	D2649
Inspection Dwg: D2649 Rev: B1		Page 1 of 1

	FIRS	T ARTICLE II	NSPECTI	ON CHE	ECKLIST		
	X	First Arti	cle	Prot	otype		
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method o		omments
3.180	+0.030/-0.000	3.186					
0.375	+/-0.010	.375	V				
0.025 - 0.030	N/A	,030	J				
							
							
11.00							
·							
					,		
							
					 		
			0/				
Measured by:	-m-	Audited by:	20		Prototype	Approval:	N/A
Date: Q	1/ 1/2	Date:	08/10/	18		Date:	N/A
Rev Date	Change					Revised by	y Approved
A 04 01 21	New Issue					KU/RE CX	Approved



	DESIG	Sins	DRAWN BY	DART AEROSPACE USA, INC.
1	CHECK	(ED _A	APPROVED	DRAWING NO. REV. B
-	I	TUY	BW	D2649 SHEET 1 OF 1
-	DATE			TITLE SCALE
	98.0)1.14		CROSS BOLT SPACER 1:1
	Α		97.03.25	NEW ISSUE
	В		98.01.14	3.180 WAS 3.230, ADD CHAMFER
	Bi	A P	02.06.13	REDUCE CHAMFER PER TSR 1296.

RELEASED PS



SHOP COPY
RETURN TO
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK OF DER

MATERIAL: 6061-T6 (WW-T-700/6) OR 5052-H32 (WW-T-700/4) 0.375 DIA 0.058 WALL TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED